



PRETURI 5% - la orice produs pentru **Clientii Grandium**

SHOCK 5% - pentru achizitii de peste **1500 Lei**

3% - pentru achizitii de peste **150 Lei** (pretul de pe coloana a doua)

Nota: Reducerile sau promotiile nu se cumuleaza

PROCESOARE (3 ANI Garantie!!!)	RON	PROMO!!!		
AMD ATHLON64 3000+, Socket AM2, BOX	236.58	229.49	ASUS K8N4-E-SE Nforce4 4x , Sk 754 , HT1600, 3*DDR400, 1*PClex16 / 3*PCI/3*PClex x1, 133*2+SATA*4, RAID 0, 1, 0+1, 5:SATA*4 ports , 6ch Audio, Lan Gigabit Marvell, 10*USB, ATX	195.02 189.16
AMD ATHLON64 3200+, Socket AM2	202.08	196.02	ASUS A8V-VM VIA K8M890PRO, Sk 939 , HT2000, 4*DDR400DualChanel ECC, 1*PClex16/PClex11/2*PCI, 133*2+SATAII*4, Raid 0, 1, 0+1, 5, JBOD, Video on Board (max 256Mb share) , 6ch Audio, Lan 10/100, 8*USB, mATX	170.80 165.68
AMD ATHLON64 3200+, Socket AM2 BOX	256.30	248.61	ASUS A8N-SLI-SE Nforce4 SLI ,Sk 939 , HT2000, 4*DDR400DualChanel ECC , 2*PClex16x / 1*PClex X1 / 3*PCI , 133*2+SATAII*4, Raid 0,1, 6ch Audio, 1GB Lan , 10*USB, ATX	278.59 270.24
AMD ATHLON64 3500+, Socket AM2	226.73	219.92	ASUS A8R-MVP ATI Radeon XPRESS 200 CrossFire(RD480) , Sk939 , HT2000 , 4 *DDR400DualCh , 2*PClex16(CrossFire X8+X8)/1*PClex11 / 3*PCI, 133*2/SATA II*4 , RAID 0, 1, 0+1, 5, JBOD , 6ch Audio, 1 x GB LAN Marvell, 8*USB, 2*1394a, ATX	295.18 286.32
AMD ATHLON64 3500+, Socket AM2, BOX	290.80	282.08	GIGABYTE GA-K8U MB SOCKET 754 Athlon 64 ULI M1689, wSB AC 97 & LAN Realtek 8100C, ATX, 3xDDR 400MHz, 2xSATA, 1xAGP 8x, 5xPCI, 4xUSB 2.0	139.30 135.12
AMD ATHLON64 3800+, Dual Core, Socket AM2, BOX	381.16	369.73	GIGABYTE GA-K8VM800M MB SOCKET 754 Athlon 64 VIA K8M800, FSB 1600MHz, AGP8x, 2xDDR 400MHz (up. 2GB), LAN Realtek 8100C & SVGA & wSB ALC655, 2xSATA RAID0/1, 3xPCI, 2xUDMA133, 6xUSB 2.0, mATX,	155.88 151.20
AMD ATHLON64 3800+, Socket AM2, BOX	325.30	315.54	GIGABYTE GA-K8VT800 MB SOCKET 754 AMD Athlon 64 VIA K8T800, wSB AC 97 & LAN Realtek 8100C, ATX, 3xDDR 400MHz, 1xAGP 8x, 5xPCI, 8xUSB 2.0	155.88 151.20
AMD ATHLON64 4200+, Dual Core, Socket AM2, BOX	519.17	503.59	GIGABYTE GA-K8NS MB SOCKET 754 AMD Athlon 64 NFORCE3, wSB 8ch stereo & LAN, ATX, 3xDDR 400MHz, 2xSATA, 1xAGP 8x, 5xPCI, 8xUSB 2.0	155.88 151.20
AMD SEMPRON 2600+/FSB800/128K, Socket 754	85.43	82.87	GIGABYTE GA-K8NE MB SOCKET 754 AMD Athlon 64 NFORCE4, FSB 1600MHz, 3xDDR 400MHz (up 3GB), PCle x16, GbLAN Marvell & w.SB ALC850, 4xSATA RAID 0/1, 2xPCle, 3xPCI, 10xUSB2.0, ATX,	179.10 173.72
AMD SEMPRON 2800+, AMD64, Socket 754	103.51	100.40	GIGABYTE GA-K8NSC-939 MB SOCKET 939 NFORCE3 for AMD Athlon 64/64FX, FSB 2000MHz, 4xDDR 400MHz (Dual Channel) (up 4G), GbLAN Marvell & w.SB ALC850, 2xSATA150 RAID 0/1, 5xPCI, 6xUSB2.0, ATX,	195.68 189.81
AMD SEMPRON 2800+, AMD64, Socket AM2	121.25	117.61	GIGABYTE GA-K8VT890-9 MB SOCKET 939 VIA K8T890 for AMD Athlon 64/64FX, FSB 2000MHz, 4xDDR 400MHz (Dual Channel) (up 4G), PCle x16, GbLAN & w.SB ALC850, 4xSATA, 2xPCle, 3xPCI, 4xUSB2.0, ATX	212.26 205.89
AMD SEMPRON 2800+, AMD64, Socket AM2, BOX	142.94	138.65	GIGABYTE GA-K8N51GMF-9 MB SOCKET 939 NFORCE6100, HT1600MHz, 4xDDR 400MHz, PCle 16x, LAN, w.SB ALC850, 2xSATA150 RAID 0/1/5, 5xPCI, 6xUSB2.0, ATX,	205.63 199.46
AMD SEMPRON 3000+, AMD64, Socket 754, BOX	138.01	133.87	GIGABYTE GA-K8NMF-9 MB SOCKET 939 Athlon 64 NVIDIA NFORCE4, FSB1066, 4xDDR 400MHz (Dual Channel) (up 4G), GbLAN & w.SB ALC850, PCle x16, 4xSATA, 1xPCle, 2xPCI, 2xIEEE1394b, 4xUSB2.0, mATX	222.21 215.54
AMD SEMPRON 3000+, AMD64, Socket AM2, BOX	148.85	144.38	GIGABYTE GA-K8NF-9 MB SOCKET 939 NFORCE4 for AMD Athlon 64/64FX, FSB1066, 4xDDR 400MHz (Dual Channel) (up 4G), GbLAN & w.SB ALC850, PCle x16, 4xSATA, 2xPCle, 3xPCI, 2xIEEE1394b, 4xUSB2.0, ATX	230.50 223.59
AMD SEMPRON 3200+, AMD64, Socket AM2	160.68	155.86	GIGABYTE GA-K8N Pro-SLI MB SOCKET 939 NFORCE4-SLI for AMD Athlon 64/64FX, FSB 2000MHz, 4xDDR 400MHz (Dual Channel) (up 4G), GbLAN & w.SB ALC850, 2xPCle x16, 4xSATA II RAID 0/1/0+1, 2xIEEE1394b, 2xPCle, 2xPCI, 10xUSB2.0, SLI multi-GPU support, ATX	351.56 341.01
AMD SEMPRON 3200+, AMD64, Socket AM2, BOX	174.15	168.93	GIGABYTE GA-K8NU-SLI MB SOCKET 939 NFORCE4-SLI for AMD Athlon 64/64FX, FSB 2000MHz, 4xDDR 400MHz (Dual Channel) (up 4G), 2xGbLAN & w.SB ALC850, 2xPCle x16, 4xSATA II, 4xSATA, 2xPCle, 2xPCI, 4xUSB2.0, 2xIEEE1394b, SLI multi-GPU support, ATX	490.85 476.13
INTEL CELERON D336, 2.8GHz/533/256K, EM64T, LGA-775, BOX	138.66	134.50	GIGABYTE M55S-S3 MB SOCKET AM2 NFORCE550, FSB 2000MHz, PCle x16, DDR2 800MHz, Gigabit LAN, Realtek ALC883, SATA 3Gb/s and RAID,	285.23 276.67
INTEL CELERON D346, 3.06GHz/533/256K, EM64T, LGA-775, BOX	141.29	137.05	GIGABYTE M57SLI-S4 MB SOCKET AM2 NFORCE570SLI FSB 2000MHz, DDR2 800MHz, GbLAN & w.SB 8Ch, 2xPCle x16, SATA II, RAID, FIREWIRE	447.74 434.31
INTEL Core 2 Duo E4300, 1.80GHz/800/2MB L2, 65nm, LGA-775, EM64T, BOX	584.89	567.34	ASUS P5VDC-MX/C VIA P4M800PRO/8251 , LGA 775 , FSB 1066/800Mhz , 2*DDR2-533 / 2*DDR400 , VGA on Board (Max 128MB Sh), 1*AGP8X/1*PClex11/2*PCI, 2*ATA133/4*SATA II ,RAID 0, 1, 0+1, JBOD, 6ch Audio, 8*USB , mATX, Conroe Ready	175.78 170.51
INTEL Core 2 Duo E6300, 1.86GHz/1066/2MB L2, 65nm, LGA-775, EM64T, BOX	651.26	631.72	ASUS P5V-DH VIA P4M890/VT8237A , LGA 775 , FSB 1066/800Mhz, 2*DDR2-533, VGA on Board (Max 64MB Sh), 1*PClex16/1*PClex11/2*PCI , 2*133*2+SATA+2*SATAII , RAID 0, 1, JBOD, 6ch Audio Hd, 2*1394a, WiFi-AP 802.11b/g with Omni-directional Antenna, Asus DH Remote, 7*USB , mATX	268.64 260.58
INTEL Core 2 Duo E6400, 2.13GHz/1066/2MB L2, 65nm, LGA-775, EM64T, BOX	783.68	760.17	ASUS P5VD2-X VIA PT890 /8237A LGA 775, FSB 1066Mhz, 2*DDR2-533/400, 1*PClex16/4*PCI/1*PClex11, 2*133/2*SATA RAID 0, 1, JBOD, Extra storage Controller JMB363: SATA II*2(RAID 0, 1, JBOD, one is External SATA), SB 6ch HD ALC883, GbLAN Realtek, 8*USB2.0, ATX, Conroe ready	208.94 202.68
INTEL P4 524, 3.06GHz/533/1MB Prescott, EM64T, LGA-775, BOX	241.51	234.27	ASUS P5L2/C INTEL 945PL + ICH7, LGA 775, 1066(O.C.)/800/533, 2*DDR-533/400 Dual Channel, 1*PClex16/3*PCI/2*PClex11, 1*ATA100/4*SATAII, SB 6Ch, GbLAN Realtek PCle, 8*USB2.0, ATX, Conroe Ready	271.96 263.80
INTEL P4 531, 3.0GHz/800/1MB Prescott, EM64T, LGA-775, BOX	236.58	229.49	ASUS P5GZ-MX INTEL 945GZ + ICH7, LGA 775, 1066(O.C.)/800/533, 2*DDR-533/400 Dual Channel, 1*PClex16 @x4 Speed/3*PCI/1*PClex11, 1*ATA100/4*SATAII, Video on board (max 224 share) , SB 6Ch HD ALC883, GbLAN Marvell , 8*USB2.0, mATX, Conroe ready	218.89 212.33
INTEL P4 541, 3.2GHz/800/1MB Prescott, EM64T, LGA-775, BOX	254.66	247.02	ASUS P5L-MX INTEL 945G + ICH7, LGA 775, 1066/800/533Mhz, 2*DDR2-667/533, VGA on board (max 224MB Share) 1*PClex*16x/2*PCI/1*PClex11, 1*ATA100/4*SATAII, 6Ch HD ALC883, 1*GbLAN Attansic PCle, 8*USB2.0, mATX	266.99 258.98
INTEL P4 630, 3.0GHz/800/2MB Prescott, EM64T, LGA-775, BOX	234.94	227.89	ASUS P5L-VM-1394 INTEL 945G + ICH7, LGA 775, 1066/800/533Mhz, 4*DDR2-667/533, VGA on board (max 224MB Share) 1*PClex*16x/2*PCI/1*PClex11, 1*ATA100/4*SATAII, 6Ch HD ALC883, 1*GbLAN Attansic PCle, 2*1394a, 8*USB2.0, mATX	291.86 283.10
INTEL P4 640, 3.2GHz/800/2MB Prescott, EM64T, LGA-775, BOX	253.01	245.42	ASUS P5LD2-VM INTEL 945G + ICH7, LGA 775, 1066/800/533Mhz, 4*DDR2-667 Dual Channel, VGA on board (max 128Share) 1*PClex*16x/2*PCI/1*PCle E x1, 1*ATA100/1*133/4*SATAII, CMI 8Ch, 1*Intel PCle 1G, USB2.0, mATX	336.63 326.53
INTEL P4 930, 3.0GHz/800/2*2MB Prescott, Dual core, 65nm, LGA775, BOX	545.46	529.09		
INTEL P4 945, 3.4GHz/800/2*2MB Prescott, Dual core, 65nm, LGA775, BOX	586.53	568.93		
PLACI DE BAZA pt AMD (3 ANI Garantie!!!)	RON	PROMO!!!		
ASUS M2V-TVM VIA K8M890, Sk AM2 , HT2000, 2*DDR2-667/533 DualChannel, VGA onboard (max 256MB Share), 1*PClex16/1*PClex11/2*PCI, 133*2+SATA*2, RAID 0, 1, 6ch Audio, Lan , 8*USB, mATX	203.97	197.85		
ASUS M2V VIA K8T890, Sk AM2 , HT2000, 4*DDR2-800/667/533 DualChannel ECC, 1*PClex16/2*PClex x1/4*PCI, 133*2+SATA*2+SATA II*2, RAID 0, 1, JBOD, 6ch Audio HD, GbLAN , 8*USB, ATX	235.48	228.41		
ASUS M2N-MX Nforce 430 + GeForce 6100 (C61G) , Sk AM2 , HT2000/1600, 4*DDR2-800/667/533 DualChannel ECC, GF6100 on board (max128sh), 1*PClex16/1*PClex x1/2*PCI, 133*1+SATA II*4, RAID 0, 1, 0+1, 5, JBOD, 6ch Audio HD, 1*GbLAN Attansic PHY , 10*USB, mATX	232.16	225.20		
ASUS M2N-VM-DH Nforce 430 (MCP61P) + GeForce 6100, Sk AM2 , HT2000/1600, 4*DDR2-800/667/533 DualChannel ECC, GF6100 on board (max256sh), 1*PClex16/1*PClex x1/2*PCI, 133*1+SATA II*4, RAID 0, 1, 0+1, 5, JBOD, Extra storage Controller JMB363: SATA II*2(RAID 0, 1, JBOD, one is External SATA); 8ch Audio HD AD1988A, S/PDIF (Coaxial out), 1*GbLAN Broadcom PHY, WiFi 802.11b/g, 8*USB, 2*1394a, mATX	354.87	344.23		
ASUS M2NBP-VM-CSM Nforce 430B + NVIDIA Quadro NVS210S, Sk AM2 , HT2000/1600, 4*DDR2-800/667/533 DualChannel ECC, On board VGA (max128sh) 1*PClex16/1*PClex x1/2*PCI, 133*2+SATA II*4, RAID 0, 1, 6ch Audio HD, 1GbLAN Marvell PHY , 8*USB, mATX	285.23	276.67		
ASUS M2N nForce 430, Sk AM2 , HT2000/1600, 4*DDR2-800/667/533 DualChannel ECC, 1*PClex16/2*PClex11/3*PCI, 133*1+SATA II*4(RAID 0, 1, 0+1, 5, JBOD), 6-Ch Audio HD, S/PDIF (Coaxial out), GbLAN Attansic PHY, 10*USB, ATX, Heat Pipe	262.01	254.15		
ASUS M2N4-SLI Nforce 4 SLI, Sk AM2 , HT2000, 4*DDR2-800/667/533 DualChannel ECC, 2*PClex16(SLI X8+X8)/2*PClex11/2*PCI, 133*2+SATA II*4, RAID 0, 1, 0+1, 5, JBOD, ALC850 6ch Audio, GbLAN Attansic L1 PCle, 10*USB, S/PDIF(Coaxial out), ATX	281.91	273.45		
ASUS M2N-E Nforce 570 Ultra, Sk AM2 , HT2000, 4*DDR2-800/667/533 DualChannel ECC, 1*PClex16/1*PClex4/2*PClex11/3*PCI, 133*1+SATA II*6, RAID 0, 1, 0+1, 5, JBOD, 8ch Audio HD, GbLAN Marvell, 10*USB, ATX, Heat Pipe	331.66	321.71		
ASUS M2N-SLI-Deluxe Nforce 570 SLI, Sk AM2 , HT2000, 4*DDR2-800/667/533 DualChannel ECC, 2*PClex16(SLI X8+X8)/2*PClex11/3*PCI, 133*1+SATA II*8 (1*External SATA II), RAID 0, 1, 0+1, 5, JBOD, 8ch Audio HD, 2*NV-GbLAN Marvell, 10*USB, 2*1394a, S/PDIF(Coaxial + Optical out), ATX, Heat Pipe	446.08	432.70		
ASUS K8U-X ULI M1689,Sk 754 , HT1600, 2*DDR400, 1*AGP*4*PCI, 133*2+SATA*2, Raid 0+1, 6ch Audio, Lan 10/100, 8*USB, mATX	131.01	127.08		
ASUS K8V-XE VIA K8T890,Sk 754 , HT2000, 3*DDR400, 1*PClex16/2*PCI-EX1/3*PCI, 133*2+SATA*4, Raid 0+1, SATAII*4, Raid 0, 1, 0+1, JBOD, 8Ch Audio, Lan 10/100 , 8*USB, ATX	169.15	164.07		
ASUS K8V-VM VIA K8M890,Sk 754 , HT1600, 2*DDR400 Dual Ch , 1*PClex16/2*PCI, 133*2+SATA*2, RAID 0, 1, JBOD, Video on Board (max128MB share), 6Ch Audio, Lan 10/100, 8*USB, mATX	162.51	157.64		
ASUS K8N Nforce3 250,Sk 754 , HT1600, 3*DDR400, 1*AGP/5*PCI, 133*2+SATA*2, Raid 0,1,0+1, 8ch Audio, LAN, 8*USB, ATX	175.78	170.51		

ASUS P5LD2-VM-DH/C INTEL 945G + ICH7DH, LGA 775, 1066/800/533Mhz, 4*DDR2-667/533 Dual Channel, VGA onboard (max 224MB Share), Intel Viiv technology, 1*PClex*16x2*PCI/3*PClex1, 1*ATA100/1*133/4*SATAII RAID 0, 1, 5, 10, Extra storage Controller ITE8211: ATA133*1, 8Ch Audio HD ALC882, 1*Intel PCle 1Gb, 8*USB2.0, mATX	397.99	386.05
ASUS P5LD2-SE/C INTEL 945P + ICH7, LGA 775, 1066/800/533Mhz, 4*DDR2-667 Dual Channel, 1*PClex*16x3*PCI/2*PClex1, 1*ATA100/4*SATAII, SB 6Ch HD AD1988A, S/PDIF (Coaxial out), 1*Realtek PCle 1G, 8*USB2.0, ATX	315.08	305.62
ASUS P5B-VM INTEL G965 + ICH8, LGA 775, 1066/800/533Mhz, 4*DDR2-800/667/533 Dual Channel, VGA onboard (max 256MB Share), 1*PClex16 @x1 Speed/2*PCI/1*PCI-E x4 @ x1 Speed, 4*SATA II, Extra storage Controller JMB363: SATAII/2(EZ-BACKUP: RAID0,1)+SATAII/2(one is external SATA), AD1988A 8Ch HD, Realtek PCle GbLan, 2*1394a, 10*USB2.0, mATX	414.57	402.14
ASUS P5B-V INTEL G965 + ICH8, LGA 775, 1066/800/533Mhz, 4*DDR2-800/667/533 Dual Channel, VGA onboard (max 256MB Share), 1*PClex16/1*PClex16 @x4 Speed/3*PCI/2*PClex1, 4*SATA II, Extra storage Controller JMB363: ATA133*1/SATA II/2(RAID 0, 1, JBOD, one is External SATA), AD1988A 8Ch HD, S/PDIF (Coaxial out), GbLan Marvell, 2*1394a, 10*USB2.0, ATX	500.80	485.78
ASUS P5B INTEL P965 + ICH8, LGA 775, 1066/800/533Mhz, 4*DDR2-800/667/533 Dual Channel, 1*PClex16/3*PCI/3*PClex1, 4*SATA II, Extra storage Controller JMB363: 133*1/2*SATA II (RAID 0, 1, JBOD, one is External SATA), AD1988A 8Ch HD, S/PDIF(Coaxial + Optical out), 1*RTL8111B PCle GbLan, 10*USB2.0, ATX, Supports Intel Dual Core Conroe CPU	414.57	402.14
ASUS P5B-E INTEL P965 + ICH8R, LGA 775, 1066/800/533Mhz, 4*DDR2-800/667/533 Dual Channel, 1*PClex16/3*PCI/3*PClex1, SATA II/6(RAID 0, 1, 5, 10), Extra storage Controller JMB363: 133*1/2*SATA II (RAID 0, 1, JBOD, one is External SATA), AD1988A 8Ch HD, S/PDIF(Coaxial + Optical out), 1*GbLan Atlatic PCle, 10*USB2.0, 2*1394a, ATX, Supports Intel Dual Core Conroe CPU	469.30	455.22
ASUS P5B-Deluxe INTEL P965 + ICH8R, LGA 775, 1066/800/533Mhz, 4*DDR2-800/667/533 Dual Channel, 1*PClex16/1*PClex16@x4/3*PCI/1*PClex1, 6*SATA II, RAID 0, 1, 5, 10, Extra storage Controller JMB363: 133*1/2*SATA II (RAID 0, 1, JBOD, one is External SATA), AD1988B 8Ch HD, S/PDIF(Coaxial + Optical out), 1*Marvell PCle GbLan + 1*Marvell PCI GbLan, 2*1394a, 8*USB2.0, ATX, Supports Intel Dual Core Conroe CPU	630.15	611.25
ASUS P5B-Deluxe/WiFi-AP INTEL P965 + ICH8R, LGA 775, 1066/800/533Mhz, 4*DDR2-800/667/533 Dual Channel, 1*PClex16/1*PClex16@x4/3*PCI/1*PClex1, 6*SATA II, RAID 0, 1, 5, 10, Extra storage Controller JMB363: 133*1/2*SATA II (RAID 0, 1, JBOD, one is External SATA), AD1988B 8Ch HD, S/PDIF(Coaxial + Optical out), 1*Marvell PCle GbLan + 1*Marvell PCI GbLan, WiFi-AP 802.11b/g, 2*1394a, 8*USB2.0, ATX, Supports Intel Dual Core Conroe CPU	696.48	675.59
ASUS P5NLI Nforce 570 SLI INTEL Edition (C19) / MCP-51 LGA 775 1066/800Mhz, 4*DDR2-667/533 Dual Ch, 2*PClex16(SLI x8+x8)/2*PCI/3*PClex1, ATA133*2(RAID 0, 1, 0+1, 5, JBOD)/SATA II*4(RAID 0, 1, 0+1, 5, JBOD), 6Ch HD Audio AD1988A, S/PDIF (Coaxial out), 1*Marvell GbLan, 8*USB2.0, ATX	394.67	382.83
GIGABYTE GA-8I848P775-G MB SOCKET 775 P4 INTEL 848P, FSB 800, 2xSATA, wSB 8Ch & LAN, ATX, 4xDDR 400MHz, 1xAGP 8X, 5xPCI, 6xUSB 2.0,	192.36	186.59
GIGABYTE GA-8I865G775-GRH MB SOCKET 775 P4 INTEL 865G, FSB 800, 2xSATA, wSB ALC653, GbLAN, ATX, 4xDDR 400MHz (Dual Channel), 1xAGP 8X, 5xPCI, 6xUSB 2.0, ATX,	182.41	176.94
GIGABYTE GA-8I915P-DUO MB SOCKET 775 P4 INTEL 915P, FSB 800, PCle x16, 2xDDR2-533 / 2xDDR400 (Dual Channel), wSB & GigaLAN, 4xSATA RAID, 3xPCI, 2xPCle, 4xUSB2.0, ATX,	262.01	254.15
GIGABYTE GA-8I945PLGE-RH MB SOCKET 775 INTEL 945PL, FSB 800MHz, 4xDDR2-533MHz (Dual Channel) (up 2G), PCle x16, GigaLAN & w.SB ALC880, 4xSATA II, 2xPCle, 3xPCI, 8xUSB2.0, Dual Core, GbLAN, ATX,	245.43	238.06
GIGABYTE GA-8I945PL-G MB SOCKET 775 INTEL 945PL, FSB 800MHz, 4xDDR2-533MHz (Dual Channel) (up 2G), PCle x16, GigaLAN & w.SB ALC882, 4xSATA II, 2xPCle, 3xPCI, 8xUSB2.0, Dual Core, GbLAN, ATX,	278.59	270.24
GIGABYTE GA-8I945PL-S3 MB SOCKET 775 INTEL 945PL, FSB 800MHz, 4xDDR2-533MHz (Dual Channel) (up 2G), PCle x16, GigaLAN & w.SB ALC883, 4xSATA II, 2xPCle, 3xPCI, 8xUSB2.0, Dual Core, GbLAN, ATX	271.96	263.80
GIGABYTE GA-8I945P-S3 MB SOCKET 775 INTEL 945P, FSB 1066MHz, 4xDDR2-667MHz (Dual Channel) (up 4G), PCle x16, GigaLAN & w.SB ALC883, 4xSATA II, 2xPCle, 3xPCI, 8xUSB2.0, Dual Core, ATX,	301.81	292.76
GIGABYTE GA-8I945G-S3 MB SOCKET 775 INTEL 945G, FSB 1066MHz, 4xDDR2-667MHz (Dual Channel) (up 4G), PCle x16, GigaLAN & w.SB ALC883, 4xSATA II, 2xPCle, 3xPCI, 8xUSB2.0, Dual Core, ATX,	341.61	331.36
GIGABYTE GA-8N-SLI PRO MB SOCKET 775 NFORCE4-SLI, FSB 1066MHz, 4xDDR2 667MHz DUAL CHANNEL (up 8GB), 2xPCle x16, GbLAN Marvell & SB ALC850, 4xSATAII RAID 0/1/5, 3xIEEE1394, 2xPCI, 2xPCle, 6xUSB2.0, ATX,	404.62	392.48
GIGABYTE GA-965P-S3 MB SOCKET 775 INTEL P965 FSB 1066MHz, 4xDDR2-800MHz (Dual Channel) (up 8G), PCle x16, GbLAN & w.SB LIVE 8ch, 4xSATA II, PCle, 3xPCI, 8xUSB2.0, Dual Core, Conroe, ATX, GIGABYTE	444.42	431.09

HARD-DISKURI (3 ANI Garantie!!!)	RON	PROMO!!!
WESTERN DIGITAL 60GB, 5400rpm/ATA100/8MB, 2.5in., WD600VE	188.80	183.14
WESTERN DIGITAL 80GB, 5400rpm/ATA100/8MB, 2.5in., WD800VE	237.63	230.50
WESTERN DIGITAL 80GB, 7200rpm/ATA100/2MB, WD800BB	141.60	137.35
WESTERN DIGITAL 80GB, 7200rpm/ATA100/8MB, WD800JB	151.37	146.82
WESTERN DIGITAL 80GB, 7200rpm/ATA100/8MB, WD800JB-RF	148.11	143.67
WESTERN DIGITAL 80GB, 7200rpm/S-ATA/8MB, WD800JD	151.04	146.51
WESTERN DIGITAL 160GB, 7200RPM/S-ATA2/8MB, WD1600JS	190.43	184.71
WESTERN DIGITAL 160GB, 7200rpm/UltraATA100/8MB, WD1600JB	190.43	184.71
WESTERN DIGITAL 200GB, 7200RPM/S-ATA2/8MB, WD2000JS	218.10	211.55
WESTERN DIGITAL 200GB, 7200rpm/UltraATA100/8MB, WD2000JB	216.47	209.97
WESTERN DIGITAL 250GB, 7200rpm/RE2/S-ATA2/16MB, WD2500YS	268.23	260.18
WESTERN DIGITAL 250GB, 7200rpm/S-ATA2/16MB, WD2500KS	253.58	245.97
WESTERN DIGITAL 250GB, 7200rpm/S-ATA2/8MB, WD2500JS	244.14	236.81
WESTERN DIGITAL 250GB, 7200rpm/UltraATA100/8MB, WD2500JB	232.74	225.76
WESTERN DIGITAL 300GB, 7200rpm/UltraATA100/8MB, WD3000JB	288.08	279.46
WESTERN DIGITAL 320GB, 7200rpm/RE2/S-ATA2/16MB, WD3200YS	346.68	336.28
WESTERN DIGITAL 320GB, 7200rpm/S-ATA2/16MB, WD3200KS	323.89	314.17
WESTERN DIGITAL 320GB, 7200rpm/S-ATA2/8MB, WD3200JS	314.12	304.70
WESTERN DIGITAL 320GB, 7200rpm/UltraATA100/8MB, WD3200JB	304.36	295.23
WESTERN DIGITAL 400GB, 7200rpm/RE2/S-ATA2/16MB, WD4000YS	528.96	513.10
WESTERN DIGITAL 400GB, 7200rpm/S-ATA/16MB, WD4000YR	516.92	501.41
WESTERN DIGITAL 500GB, 7200rpm/RE2/S-ATA2/16MB, WD5000YS	621.74	603.09
SEAGATE 80GB, 7200rpm, 2MB, ST3802110A	146.16	141.77
SEAGATE 80GB, 7200rpm, 8MB, S-ATA 2, ST380811AS	150.71	146.19
SEAGATE 160GB, 7200rpm, 8MB, S-ATA 2, ST3160811AS	195.31	189.45
SEAGATE 160GB, 7200rpm, 8MB, ST3160812A	195.31	189.45
SEAGATE 250GB, 7200rpm, 16MB, S-ATA2, ST3250624AS	258.79	251.02
SEAGATE 250GB, 7200rpm, 8MB, S-ATA, ST3250824AS	244.14	236.81
SEAGATE 250GB, 7200rpm, 8MB, S-ATA2, ST3250820AS	244.14	236.81

SEAGATE 250GB, 7200rpm, 8MB, ST3250823A	247.39	239.97
SEAGATE 320GB, 7200rpm, 16MB, ST3320620A	296.22	287.33
SEAGATE 400GB, 7200rpm, 16MB, ST3400620A	470.37	456.26
SEAGATE 73GB, 10000rpm/Ultra320 SCSI/8MB, ST373454LC	1,057.93	1,026.19
MAXTOR 80GB, 7200rpm/2MB, 60080K0	141.60	137.35
MAXTOR 80GB, 7200rpm/ATA133/2MB, 6Y080L0	141.60	137.35
MAXTOR 160GB, 7200rpm/2MB, 60160K0(STM3160212A)	180.66	175.24
MAXTOR 160GB, 7200rpm/S-ATA 2/2MB, 6P160W0(STM3160212AS)	183.92	178.40
MAXTOR 160GB, 7200rpm/S-ATA 2/8MB, 6Y160E0(STM3160812AS)	188.80	183.14
MAXTOR 200GB, 7200rpm/S-ATA 2/8MB, 6V200E0	224.61	217.87
MAXTOR 250GB, 7200rpm, 8MB, 6Y250P0	237.63	230.50
MAXTOR 250GB, 7200rpm/8MB, 6A250V0(STM3250820A)	237.63	230.50
MAXTOR 250GB, 7200rpm/S-ATA 2/8MB, 6A250E0(STM3250820AS)	242.51	235.23
MAXTOR 320GB, 7200rpm/8MB, 6A320V0(STM3320820A)	299.48	290.49
MAXTOR 320GB, 7200rpm/S-ATA 2/8MB, 6A320E0(STM3320820AS)	299.48	290.49

PLACI VIDEO ATI (3 ANI Garantie!!! Daytona -2 Ani)	RON	PROMO!!!
ASUS ATI 9250, AGP 8X, 128MB DDR-64bit TV-out DVI, 1*DVI / 1*VGA connectors	117.16	113.64
ASUS ATI RADEON X300SE, PCIE*, 128MB- 64bit , TV-out, DVI	133.89	129.88
ASUS ATI RADEON X550, PCIE*, 128MB DDR (Effective 512MB) - 64bit, TV-out, DVI	147.28	142.86
ASUS ATI RADEON X550, PCIE*, 256MB DDR (Effective 512MB) - 128bit, TV-out, DVI-I, 2nd VGA	182.43	176.95
ASUS ATI RX1300 , PCIE*, 128MB DDR (Effective 512MB) - 64bit , CLK:450MHz TV-out, DVI-I, 2nd VGA	180.42	175.01
ASUS ATI RX1300PRO , PCIE*, 256MB DDR2-128bit , CLK:600Mhz , TV-out, DVI 2nd VGA	246.36	238.97
ASUS ATI RX1300PRO , PCIE*, 256MB DDR2-128bit , CLK:600Mhz , TV-out, DVI 2nd VGA - Reverse Cool	274.48	266.24
ASUS ATI RX1600PRO , PCIE*, 256MB DDR2-128bit , CLK:500Mhz TV-out, DVI 2nd VGA - Gamepack2, Xpand Rally	312.97	303.58
ASUS ATI RX1600PRO , PCIE*, 256MB DDR3-128bit , CLK:500Mhz, HDMI ready, HDCP compliant, DVI-D adapter, 2nd VGA, Low profile bracket	401.68	389.63
ASUS ATI RX1600PRO , PCIE*, 512MB DDR2-128bit , CLK:500Mhz TV-out, DVI 2nd VGA	386.61	375.01
ASUS ATI RX1800XT, PCIE*, 512MB DDR3-256bit, CLK:700Mhz , TV-out HDTV , 2*DVI-I,Video In , 2nd VGA ,KingKong ,Gamepad , Gamepack1 ,Joint Operations , Xpand Rally , Snowblind	1,670.30	1,620.19
DAYTONA ATI Radeon 9550 128MB DDR TV-out/ DVI / 128bit	122.18	118.51
DAYTONA ATI Radeon 9550 256MB DDR TV-out/ DVI / 128bit	165.69	160.72
DAYTONA ATI Radeon X1300PRO -AGP- 256MB DDR2 TV-out / DVI (128bit); HDTV Supported ; Power DVD ;HDTV cable; Game Free	267.78	259.75
DAYTONA ATI Radeon X300SE - PCIE 128MB DDR TV-out/DVI - 128bit	133.89	129.88
DAYTONA ATI Radeon X550 - PCIE* - 128MB DDR TV-out / DVI - 128bit	142.26	137.99
DAYTONA ATI Radeon X550 - PCIE* - 256MB DDR TV-out / DVI - 128bit	180.75	175.33
DAYTONA ATI Radeon X800GTO -PCIE* - 256MB DDR3 TV-out / DVI - 256bit Game Free	321.34	311.70
DAYTONA ATI Radeon X1300PRO -PCIE* - 256MB DDR3 TV-out / DVI - 128bit Game Free	220.92	214.29
DAYTONA ATI Radeon X1600PRO -PCIE* - 256MB DDR2 TV-out / DVI - 128bit Game Free	297.91	288.97
DAYTONA ATI Radeon X1600PRO - PCIE* - 128MB DDR3 TV-out / DVI-I - 128Bit - Game Free - Super Performante	381.59	370.14
DAYTONA ATI Radeon X1600PRO -PCIE* - 256MB DDR3 TV-out / DVI-I - 128Bit - Game Free - Super Performante	465.27	451.32

PLACI VIDEO NVIDIA (3 ANI Garantie!!! Daytona -2 Ani)	RON	PROMO!!!
ASUS GeForce FX6200 , AGP 8X, 128MB TV-out , DVI	128.87	125.00
ASUS Nvidia GF7600GS, AGP 8X, 256MB DDR-128bit , HDTV , DVI-I; 2nd VGA	418.41	405.86
ASUS Nvidia GF6200LE TC, PCIE*, 64MB DDR (Effective 256MB) , TV-out, DVI	120.50	116.89
ASUS Nvidia GF6200TC , PCIE*, 64MB DDR-64bit (Turbo Chash 256Mb) , TV-out , DVI	133.89	129.88
ASUS Nvidia GF6200TC TOP , PCIE*, 256MB DDR2 (Effective 512) , TV-out , DVI , TV out adaptor	187.45	181.83
ASUS Nvidia GF7300LE w/TurboCache, PCIE*, 64MB DDR (Effective memory 256MB) , TV-out, DVI-I, 2nd VGA	147.28	142.86
ASUS Nvidia GF7300LE w/TurboCache, PCIE*, 128MB DDR-64bit (Effective memory 512MB) , TV-out, DVI-I, 2nd VGA, Passive	160.67	155.85
ASUS Nvidia GF7300LE , PCIE*, 256MB DDR2-64bit, HDTV , DVI-I, 2nd VGA	204.19	198.06
ASUS Nvidia GF7300LE , PCIE*, 256MB DDR2-64bit,CLK:580Mhz, HDTV , DVI-I, 2nd VGA, DVI-to-2nd VGA	214.23	207.80
ASUS Nvidia GF7300GS, PCIE*, 128MB DDR2-64bit , HDTV , DVI to 2nd VGA	200.84	194.81
ASUS Nvidia GF7300GS, PCIE*, 256MB DDR2-64bit , HDTV , DVI to 2nd VGA	227.62	220.79
ASUS Nvidia GF7300GT, PCIE*, 128MB DDR3-128 bit, HDTV , DVI-I, 2nd VGA	260.75	252.93
ASUS Nvidia GF7300GT, PCIE*, 256MB DDR2-128bit , HDTV , DVI-I, 2nd VGA, Passive	297.91	288.97
ASUS Nvidia GF7600GS, PCIE*, 256MB DDR2 , HDTV , DVI ; 2nd VGA Passive	361.51	350.66
ASUS Nvidia GF7600GS, PCIE*, 512MB DDR2 , HDTV , DVI ; 2nd VGA Passive	458.58	444.82
ASUS Nvidia GF7600GT, PCIE*, 256MB DDR3-128bit , HDTV , 2*DVI ; 2nd VGA	508.79	493.53
DAYTONA Nvidia GeForce FX5200 - 128MB DDRAM wTV-out /DVI (128bit)	113.81	110.39
DAYTONA Nvidia GeForce FX5500 - 256MB DDRAM wTV-out /DVI (128bit)	157.32	152.60
DAYTONA Nvidia GeForce FX7600GS 256MB DDR3 wTV-out /DVI (128bit) ; cable , power DVD ; power cable Game	398.33	386.38
DAYTONA Nvidia GeForce FX6800GS 256MB DDR3 wTV-out /DVI (256bit) ; HDTV Supported , Power DVD ; HDTV cable, Game Free	465.27	451.32
DAYTONA Nvidia GeForce FX6200 Turbo Cash PCI-E -128MB DDRAM Up to 512Mb wTV-out /DVI (64bit) ; cable , power DVD ; power cable	130.54	126.63
DAYTONA Nvidia GeForce FX6500 PCI-E -256MB DDR2 / TC512 wTV-out /DVI (64bit) ; HDTV Supported ; cable , power DVD ;DHTV cable	180.75	175.33
DAYTONA Nvidia GeForce FX6600LE PCI-E -256MB DDR2 wTV-out /DVI (64bit) ; HDTV Supported ; cable , power DVD ;DHTV cable	224.27	217.54
DAYTONA Nvidia GeForce FX6800GS-Sonic PCI-E -128MB 1.4ns-DDR3 wTV-out / DVI (128bit) ; HDTV Supported ; cable , Power DVD ;HDTV cable, Game Free	388.29	376.64
DAYTONA Nvidia GeForce FX6800GS-Sonic PCI-E -256MB -DDR3 wTV-out /DVI (256bit) ; HDTV Supported ; cable , Power DVD ;HDTV cable, Game Free	518.83	503.27

DAYTONA Nvidia GeForce FX7100GS PCI-E -256MB DDR2 / TC512 wTV-out / DVI/HDTV/SLI Supported ; cable , power DVD ;HDTV cable	155.65	150.98
DAYTONA Nvidia GeForce FX7300 Turbo Chash PCI-E -128MB DDR2 up to 512Mb wTV-out /DVI (64bit) ; HDTV Supported ; cable , power DVD ;DHTV cable	150.63	146.11
DAYTONA Nvidia GeForce FX7300GS PCI-E -256MB DDR2 wTV-out /DVI (64bit) ; HDTV Supported ; cable , power DVD ;DHTV cable	190.80	185.07
DAYTONA Nvidia GeForce FX7300GT PCI-E -128MB DDR wTV-out /DVI (128bit) ; HDTV Supported ; cable , power DVD ;DHTV cable	214.23	207.80
DAYTONA Nvidia GeForce FX7300GT PCI-E -256MB DDR2 wTV-out /DVI (128bit) ; HDTV Supported ; Power DVD ;HDTV cable	235.98	228.90
DAYTONA Nvidia GeForce FX7600GS Sonic PCI-E -256MB DDR3 wTV-out /DVI (128bit) ; HDTV Supported ; HDTV cable	312.97	303.58
DAYTONA Nvidia GeForce FX7600GT PCI-E -256MB 1.4ns-DDR3 wTV-out /DVI (128bit) ; HDTV Supported ; Power DVD ;HDTV cable ; Game Free	398.33	386.38
DAYTONA Nvidia GeForce FX7600GT- Sonic PCI-E -256MB 1.2ns-DDR3 wTV-out / DVI (128bit) ; HDTV Supported ; Power DVD ;HDTV cable ; Game Free	632.64	613.66
DAYTONA Nvidia GeForce FX7900GS PCI-E -256MB DDR3 wTV-out /2*DVI (256bit) ; HDTV Supported ; HDTV cable ; Power cable ; Game Free	532.22	516.25
DAYTONA Nvidia GeForce FX7900GS PCI-E -512MB DDR3 wTV-out /2*DVI (256bit) ; HDTV Supported ; HDTV cable ; Power cable ; Game Free	632.64	613.66

MEMORII (5 ANI Garantie!!!)	RON	PROMO!!!
KINGMAX DDR400 256MB PC3200	66.73	64.73
KINGMAX DDR400 512MB PC3200	126.95	123.14
KINGMAX DDR400 1024MB PC3200	253.90	246.29
KINGMAX DDR2/533 256MB PC4300 FBGA Mars	61.85	59.99
KINGMAX DDR2/533 512MB PC4300 FBGA Mars	104.17	101.04
KINGMAX DDR2/533 1024MB PC4300 FBGA Mars	201.82	195.77
KINGMAX DDR2/667 256MB PC5300 FBGA Mars	62.50	60.62
KINGMAX DDR2/667 512MB PC5300 FBGA Mars	105.79	102.62
KINGMAX DDR2/667 1024MB PC5300 FBGA Mars	205.08	198.92
KINGMAX DDR2/800 512MB PC6400 FBGA Mars	120.44	116.83
KINGMAX DDR2/800 1024MB PC6400 FBGA Mars	240.88	233.66
SYCRON/PQI/ADATA DDR400 256MB (32Mx8-8C)	58.59	56.84
SYCRON/PQI/ADATA DDR400 512MB (32Mx8-16C)	112.30	108.93
SYCRON/PQI/ADATA DDR400 1024MB (64Mx8-16C)	224.61	217.87
SYCRON/PQI/ADATA DDR2/533 256MB (32Mx16-4C) Sycron	55.34	53.68
SYCRON/PQI/ADATA DDR2/533 512MB (64Mx8-8C) Sycron	87.89	85.25
SYCRON/PQI/ADATA DDR2/533 1024MB (64Mx8-16C) Sycron	175.78	170.51
SYCRON/PQI/ADATA DDR2/667 512MB (64Mx8-8C) Sycron	89.52	86.83
SYCRON/PQI/ADATA DDR2/667 1024MB (64Mx8-16C) Sycron	177.41	172.08
SYCRON/PQI/ADATA DDR2/800 512MB (32Mx8-16C) Sycron	105.79	102.62
SYCRON/PQI/ADATA DDR2/800 1024MB (64Mx8-16C) Sycron	208.33	202.08

MEMORII FLASH, CARDURI SD, MMC, MICRO, MINI, PRO DUO	RON	PROMO!!!
KINGMAX Secure Digital Card 256MB - PIP Technology	17.66	17.13
KINGMAX Secure Digital Card 512MB - PIP Technology	24.72	23.98
KINGMAX Secure Digital Card 1GB - PIP Technology	34.96	33.91
KINGMAX Secure Digital Card 2GB - PIP Technology	67.10	65.09
KINGMAX Secure Digital Card 4GB - PIP Technology	158.92	154.15
KINGMAX Secure Digital Mini-SD Card 512MB - PIP Technology	31.78	30.83
KINGMAX Secure Digital Mini-SD Card 1GB - PIP Technology	49.44	47.96
KINGMAX Secure Digital Mini-SD Card 2GB - PIP Technology	84.76	82.21
KINGMAX Secure Digital Micro-SD/Trans-Flash Card 256MB - PIP Technology	19.42	18.84
KINGMAX Secure Digital Micro-SD/Trans-Flash Card 512MB - PIP Technology	31.78	30.83
KINGMAX Secure Digital Micro-SD/Trans-Flash Card 1GB - PIP Technology	45.91	44.53
KINGMAX Secure Digital Micro-SD/Trans-Flash Card 2GB - PIP Technology	105.59	102.43
KINGMAX Multimedia Card 512MB - PIP Technology	38.85	37.68
KINGMAX Multimedia Card 1GB - PIP Technology	67.10	65.09
KINGMAX Reduced-Size MultiMedia Card 128MB - PIP Technology	17.66	17.13
KINGMAX Reduced-Size MultiMedia Card 256MB - PIP Technology	28.25	27.40
KINGMAX Multimedia Card Micro 256MB - PIP Technology	28.25	27.40
KINGMAX Multimedia Mobile Card 512MB (ReducedSize/DualVoltage) - PIP Technology	45.91	44.53
KINGMAX Multimedia Mobile Card 1GB (ReducedSize/DualVoltage) - PIP Technology	88.29	85.64
KINGMAX Flash Drive SuperStick USB 2.0 256MB - PIP Technology	21.19	20.55
KINGMAX Flash Drive SuperStick USB 2.0 512MB - PIP Technology	31.78	30.83
KINGMAX Flash Drive SuperStick USB 2.0 1GB - PIP Technology	49.44	47.96
KINGMAX Flash Drive SuperStick USB 2.0 2GB - PIP Technology	91.82	89.07
KINGMAX Flash Drive SuperStick USB 2.0 4GB - PIP Technology	173.05	167.85
SYCRON LeatherMem 512MB, USB 2.0 Flash-Memory Disk (Black)	45.91	44.53
SYCRON LeatherMem 1GB, USB 2.0 Flash-Memory Disk (Black)	67.10	65.09
SYCRON LeatherMem 2GB, USB 2.0 Flash-Memory Disk (Black)	113.01	109.62
SYCRON LeatherMem 4GB, USB 2.0 Flash-Memory Disk (Black)	233.08	226.09

UNITATI OPTICE (2 ANI Garantie!!!)	RON	PROMO!!!
ASUS 52x CD-ROM Retail Quiet White/Black	41.73	40.48
SAMSUNG CD-RW 52x32x52x bulk	60.84	59.01
LG 16x52x DVD-ROM bulk White/Black	53.40	51.80
ASUS 16x48x DVD-ROM Retail - 2Mb Data Buffer	60.79	58.97
ASUS COMBO 52X/32X/52X/16X COMBO Retail -Quiet Track Beige Nero and ASUS DVD SW, Audio Cable, Screws, Ejector Pin	88.06	85.42
SAMSUNG COMBO 52x32x52CDRW / 16xDVD Combo Bare Bulk	73.97	71.75
LG DVD-RW GSA-H10N Super Multi DVD+/-RW write:16xDVD+R/-R Bulk	100.23	97.22
ASUS DVD-RW 1608P3S Super Multi DVDRW: DL: +/-8x, RAM: +5x, DVDR: +/-16x, DVDRW: +8x/-6x, CD-R/RW/ROM: 40x/32x/40x Retail	110.08	106.77
SAMSUNG DVD-RW Super Multi DVD+/-RW 18xDVD+R/-R 12xDVD-RAM Bulk	100.23	97.22

FLOPPY DISK (1 AN Garantie!!!)	RON	PROMO!!!
FDD SONY/NEC/TEAC 3,5" White	25.80	25.02
FDD SONY/NEC/TEAC 3,5" Black	26.66	25.86

CARCASE - SURSE (1 AN Garantie!!!)	RON	PROMO!!!
CASE MIDITOWER 350W (Diverse modele!!!)	72.93	70.75
CASE MIDITOWER 400W (Diverse modele!!!)	88.29	85.64
CASE MIDITOWER 450W (Diverse modele!!!)	99.80	96.81
KME CX6258-02, 450W, USB&audio, air guide (3 Ani Garantie!!!)	131.36	127.42
KME CX5059-03, 450W,USB&audio,transparent side panel (3 Ani Garantie!!!)	139.73	135.53
KME CX8860, 450W, air&guide + maner (3 Ani Garantie!!!)	154.10	149.48
KME CX5059-03, 450W,USB&audio,transparent side panel (3 Ani Garantie!!!)	139.73	135.53
Case Foxconn TSAA-80/5 TLA-397/436 MideTower ATX , Air Duct w/filter , 2 USB + Audio + Mic , Fan 80mm/CS ; W/out PS Black W/Out PS	90.98	88.25
SURSA 450W	51.50	49.95
SURSA 500W	59.88	58.09

MONITORE CRT (3 ANI Garantie!!!)	RON	PROMO!!!
VIEWSTAR Monitor 17" FLAT 775 CB, Flat Screen, 1600x1200, black	323.67	313.96
VIEWSTAR Monitor 17" FLAT 775 CB, Flat Screen, 1600x1200, white	323.67	313.96
PROVIEW Monitor 17" 0,25 85KHz OSD control TCO03 Flat Screen 1280-1024 Rf:65Hz Samsung Tube Black-Silver	338.91	328.74
PROVIEW Monitor 19" 0,25 98KHz OSD control TCO99 Flat Screen 1600-1200 Rf:75Hz Samsung Tube	532.73	516.75

MONITORE LCD (3 ANI Garantie!!!)	RON	PROMO!!!
5% REDUCERE!!! 5% REDUCERE!!! 5% REDUCERE!!!		
ASUS MM17DE1 7" TFT 1280x1024 - 8ms Splendid Technology Contrast: 600:1 0.264mm 400cd/m2 TCO03 , Inputs : 15-Pin D-Sub	608.38	577.96
ASUS MM17TE-B1 7" TFT 1280x1024 - 8ms Splendid Technology Contrast: 600:1 0.264mm 400cd/m2 TCO03 ,Built in Spks 1.2Wx2 Stereo, Inputs : 15-Pin D-Sub, 24-Pin DVI-D, 3.5mm RCA R/L	639.02	607.07
ASUS MB17SE1 7" TFT 1280x1024 - 5ms Splendid Technology Contrast: 700:1 0.264mm 320cd/m2 TCO03 , Built in Spks 2.0Wx2 Stereo ; Inputs : 15-Pin D-Sub , 3.5mm RCA R/L	652.15	619.54
ASUS MM19SE1 9" TFT 1280x1024 - 8ms Splendid Technology Contrast: 700:1 0.264mm 400cd/m2 TCO99 , Built in Spks 1.2Wx2 Stereo ; Inputs : 15-Pin D-Sub , 3.5mm RCA R/L Splendid Technology (Video Enhancement)	722.18	686.07
ASUS MM19TE 19" TFT 1280x1024 - 8ms Splendid Technology Contrast: 700:1 0.264mm 400cd/m2 TCO03 , Built in Spks 1.2Wx2 Stereo ;Inputs: 24-Pin DVI-D ,15-Pin D-Sub , 3.5mm RCA R/L Splendid Technology (Video Enhancement)	739.69	702.70
ASUS MB19SE 19" TFT 1280x1024 - 5ms Splendid Technology Contrast: 700:1 0.264mm 320cd/m2 TCO03 , Built in Spks 2.0Wx2 Stereo ; Inputs : 15-Pin D-Sub, 3.5mm RCA R/L	765.95	727.65
ASUS MB19TU 19" TFT 1280x1024 - 2ms(GTG) Splendid Technology Contrast: 800:1 0.264mm 320cd/m2 TCO03 , Built in Spks 2.0Wx2 Stereo ; Inputs : 24-Pin DVI-D ,15-Pin D-Sub , 3.5mm RCA R/L	844.73	802.49
ASUS VW192S 19" TFT Wide Screen 1440x900 - 5ms Splendid Technology Contrast: 700:1 0.285mm 330cd/m2, Built in Spks 1Wx2 Stereo ; Inputs : 15-Pin D-Sub , 3.5mm RCA R/L Splendid Technology (Video Enhancement)	765.95	727.65
ASUS VW191S 19" TFT Wide Screen 1440x900 - 5ms Splendid Technology Contrast: 700:1 0.285mm 330cd/m2, Built in Spks 2Wx2 Stereo ; Inputs : 15-Pin D-Sub*2 , 3.5mm RCA R/L Splendid Technology (Video Enhancement)	770.32	731.81
ASUS PG191 19" TFT 1280x1024 - 2ms(GTG) Splendid Technology Contrast: 800:1 0.294mm 320cd/m2, Video Camera 1.3M pixel, Built in Spks 5Wx2 Stereo + 15W (woofer) ; Inputs : USB2.0 x 3, 24-Pin DVI-D, 15-Pin D-Sub , 3.5mm RCA R/L Splendid Technology (Video Enhancement), SRS TruSurround XT™	1,352.44	1,284.82
ASUS PW191A 19" TFT Wide Screen 1440x900 - 5ms Splendid Technology Contrast: 800:1 0.285mm 330cd/m2, Built in Spks 2Wx2 Stereo ; Inputs : 24-Pin DVI-D ,15-Pin D-Sub , 3.5mm RCA R/L Splendid Technology (Video Enhancement)	1,221.14	1,160.08
ASUS MW201U 20.1" TFT Wide Screen 1680x1050 - 2ms(GTG) Splendid Technology; Contrast: 700:1 0.258mm; 300cd/m2, HDCP; Built in Spks 1Wx2 Stereo; USB2.0 x 3; Inputs : 24-Pin DVI-D, 15-Pin D-Sub , 3.5mm RCA R/L; Splendid Technology (Video Enhancement), Trace Free Technology	1,159.86	1,101.87
ASUS PW201 20.1" TFT Wide Screen 1680x1050 - 8ms(GTG) Splendid Technology; Contrast: 800:1; 0.258mm; 350cd/m2, Video Camera 1.3M pixel; PIP; Built in Spks 3Wx2 Stereo; USB2.0 x 3; Inputs : 24-Pin DVI-D, 15-Pin D-Sub , 3.5mm RCA R/L;Height Adjustment; Pivot; Splendid Technology (Video Enhancement)	1,746.36	1,659.04
ASUS PW201-EU 20.1" TFT Wide Screen 1680x1050 - 8ms(GTG) Splendid Technology; Contrast: 800:1; 0.258mm; 350cd/m2, Video Camera 1.3M pixel; PIP; Built in Spks 3Wx2 Stereo; USB2.0 x 3; Inputs : 24-Pin DVI-D, 15-Pin D-Sub , 3.5mm RCA R/L;Height Adjustment; Pivot; Splendid Technology (Video Enhancement)	1,833.90	1,742.20
ASUS MW221U 22" TFT Wide Screen 1680x1050 - 2ms(GTG) Splendid Technology; Contrast: 700:1; 0.282mm; 300cd/m2, HDCP; Built in Spks 1Wx2 Stereo; Inputs : 24-Pin DVI-D ,15-Pin D-Sub , 3.5mm RCA R/L; Splendid Technology (Video Enhancement)	1,378.71	1,309.77
BENQ FP71G+ 17" TFT; 1280x1024 - 8ms Contrast: 500:1 0.264mm 300cd/m Wall mounting	608.38	577.96
BENQ FP72E 17" TFT; 1280x1024 - 8ms Contrast: 500:1 0.264mm 300cd/m TCO03 Built in Spks 1Wx2; DVI/D-sub dual input;Wall mounting	612.76	582.12
BENQ FP73E 17" TFT; 1280x1024 - 8ms Contrast: 500:1 0.264mm 300cd/m TCO03 Built in Spks 1Wx2; Color: 16.2 million; DVI/D-sub dual input	674.03	640.33
BENQ FP73G 17" TFT; 1280x1024 - 6ms Contrast: 700:1 0.264mm 300cd/m TCO03 Wall mounting	630.27	598.75
BENQ FP91G+ 19" TFT - 1280x1024 - 8ms Contrast: 550:1 0.294mm 250cd/m TCO03 Input:analog & DVI	700.29	665.28
BENQ FP92E 19" TFT; 1280x1024 - 8ms Contrast: 550:1 0.294mm 270cd/m TCO03 Built in Spks 1Wx2;DVI/D-sub dual input;Wall mounting	722.18	686.07
BENQ FP93E 19" TFT; 1280x1024 - 8ms Contrast: 550:1 0.294mm 270cd/m TCO03 Built in Spks 1Wx2;DVI/D-sub dual input;Wall mounting	765.95	727.65
BENQ FP93G 19" TFT - 1280x1024 6ms Contrast: 700:1 0.294mm 300cd/m TCO03 Input:analog & DVI	744.06	706.86
BENQ FP92WA 19" TFT - Wide Screen 1440x900 - 5ms Contrast: 600:1; 0.258mm; 300cd/m; Color: 16.7 million; Wall mounting; Input: 1. Analog, 2, TCO99	695.92	661.12
BENQ FP92W 19" TFT - Wide Screen 1440x900 - 5ms Contrast: 600:1; 0.258mm; 300cd/m; Color: 16.7 million; Wall mounting; Input: 1. Analog, 2.DVI-D, TCO99	761.57	723.49
BENQ FP91GX 19" TFT - 1280x1024 - 4ms GTG 550:1; 0.294mm; 270cd/m ; Kensington lock; Wall mounting; Input:analog & DVI	722.18	686.07
BENQ FP93GX 19" TFT - 1280x1024 - 2ms GTG, 700:1; 0.294mm; 300cd/m ; Kensington lock; Input:analog & DVI VISTA READY	765.95	727.65
BENQ FP202W 20.1" wideTFT-1680x1050; 8ms ; 600:1; 0.258mm; 300cd/m*2; Built-in Power Supply; Wall mounting; Input: 1. Analog, 2.DVI-D, TCO99	1,015.43	964.66
BENQ FP222WA 22" TFT- 1680x1050; 5ms; 700:1; 0.282mm; 300cd/m Color: 16.7 million; VISTA READY	1,094.21	1,039.50
BENQ FP241W 24" TFT - Wide Screen 1920x1200; 6ms GTG;1000:1; 0.270mm; 500cd/m; Wall mounting; Inputs: D-Sub/DVI-D/S-Video/Composite/HDMI, TCO03, Swivel, Pivot, VISTA READY	3,282.63	3,118.50

LG L1718S-SN 17" TFT - 1280x1024 - 8ms Contrast 700:1 160/160 TCO99 - standard series Silver	599.63	569.65	Mouse Optic KME MB-333PP00X, Y-0009, RUBY/BLUE/BLACK	23.65	22.94
LG L1752S-SF 17" TFT - 1280x1024 - 8ms Contrast 1600:1 DFC 160/160 TCO03 Flatron F-Engine - standard series Silver	608.38	577.96	Mouse KME MSX135UFOOA 3D/5Key sublayer mouse, 1000dpi, USB, black/white	27.64	26.81
LG L1753S-SF 17" TFT - 1280x1024 - 5ms Contrast 2000:1 DFC 170/170 Flatron F-Engine TCO03 Silver	621.51	590.44	Mouse Optic A4Tech 3D Optical Mouse PS/2	27.64	26.81
LG L1753TR-SF 17" TFT - 1280x1024 - 2ms Contrast 2000:1 DFC 170/170 DVI Flatron F-engine, TCO03, silver	700.29	665.28	CAMERE WEB (1 AN Garantie!!!)	RON	PROMO!!!
LG L1732P-SF 17" TFT - 1280x1024 - 4ms Contrast 1400:1 DFC 170/170 DVI Tilt, Swivel, Pivot (90), Height Adjustment - TCO03 Silver	652.15	619.54	WEBCAM KME AV-W1010 PC Cam,352x288 ,100K pixels,snapshot,USB 1.1	29.48	28.60
LG L1753HM-SF 17" TFT - 1280x1024 - 2ms Contrast 2000:1 DFC 170/170 DVI Flatron F-Engine Boxe TCO03 Silver	752.82	715.18	WEBCAM KME AV-W1035 PC Cam,640x480,350K pixels,snapshot,USB 1.1	42.38	41.11
LG L1760TQ-BF 17" TFT - 1280x1024 - 4ms Contrast 2000:1 DFC 170/170 DVI Flatron F-Engine, TCO03 = Winner of reddot design award 2006 =	783.45	744.28	WEBCAM GENIUS VideoCam Trek CMOS, 640x480, 30fps, usb1.1	51.59	50.04
LG L1770HR-BF 17" TFT - 1280x1024 - 2ms Contrast 3000:1 DFC 170/170 Flatron F-Engine DVI Forte Manager Forte View Forte Hinge - TCO03 Ultra Slim series	849.11	806.65	WEBCAM GENIUS VideoCam Trek 310 CMOS 300K, 640x480, 30fps, USB	90.28	87.58
LG L1919S-SF 19" TFT - 1280x1024 - 8ms Contrast 1400:1 DFC 160/160 TCO99 Flatron F-Engine - standard series Silver	717.80	681.91	WEBCAM GENIUS VideoCam Messenger cmos 300K, 640x480, USB	72.60	70.42
LG L1918S-SN 19" TFT - 1280x1024 - 5ms Contrast 700:1 160/160 TCO00 Silver	704.67	669.44	WEBCAM GENIUS VideoCam Look 312P CMOS, 640x480, 30fps, usb	92.13	89.36
LG L1952S-SF 19" TFT - 1280x1024 - 8ms Contrast 1600:1 DFC 160/160 TCO03 Flatron F-Engine - standard series Silver	709.05	673.60	WEBCAM GENIUS SLIM 321 C, USB 2.0 300K Pixel Internet	95.81	92.94
LG L192WS-SN 19" TFT - 1440x900 - 5ms Contrast 700:1 160/160 TCO99 Silver	700.29	665.28	TUNERE TV (1 AN Garantie!!!)	RON	PROMO!!!
LG L1953S-SF 19" TFT - 1440x900 - 5ms Contrast 2000:1 DFC 170/170 Flatron F-Engine TCO03 Silver	726.56	690.23	Tuner TV ST Lab PCI-FM/TV Philips 7130, PAL B/G,MPEG 1/2/4,telecomanda	84.45	81.92
LG L194WT-SF 19" TFT - 1440x900 - 5ms Contrast 2000:1 DFC 160/160 Flatron F-Engine DVI TCO03 Silver	744.06	706.86	Tuner TV Avermedia ATV 007+ TUNER + FM, Telecomanda, MPEG1/2/4, STEREO TV, 9bit converter, Teletext, TimeShift, TV recording Scheduler, Save image up to 1600x1200	90.87	88.14
LG L1953TR-SF 19" TFT - 1280x1024 - 2ms Contrast 2000:1 DFC 170/170 DVI Flatron F-Engine TCO03 silver	849.11	806.65	WinFast TV2000XP RM - TV Tuner, Leadtek NTSC, PAL & SECAM , 32bit PCI, Telecomanda, StereoTV, Picture in Picture, Captura MPEG 1/2/4/LD/VCD/DVD pentru video, Timeshifting, Teletext, DirectBurn DVD	97.96	95.02
LG L1970HR-BF 19" TFT - 1280x1024 - 2ms Contrast 3000:1 DFC 170/170 Flatron F-Engine DVI Forte Manager Forte View Forte Hinge - TCO03 Ultra Slim series	1,028.56	977.13	WinFast TV2000XP Expert - TV Tuner & Tuner Radio, Leadteck PAL BG/DK, 10bit, Telecomanda, StereoTV, FM, Picture in Picture, Captura MPEG 1/2/4/VCD/DVD/WMV pentru video si MP3/WMA pentru audio, Timeshifting, Teletext, DirectBurn DVD	183.76	178.25
LG L204VT-SF 20" TFT - 1680x1050 - 5ms Contrast 2000:1 DFC 170/170 Flatron F-engine DVI TCO03 Silver	984.79	935.55	RETELISTICA (1 AN Garantie!!!)	RON	PROMO!!!
LG L226WT-SF 22" TFT - 1680x1050 - 5ms Contrast 3000:1 DFC 160/160 Flatron F-engine DVI TCO03 Silver	1,269.28	1,205.82	Net Card PCI, 10/100 Mbps, UTP Value	15.35	14.89
Proview UK-713-8ms 17" TFT - 1280x1024 - 8ms Contrast 500:1 0.264mm 280cd/m2 TCO03 Built-in Power supply ; Kensington Lock	577.74	548.86	SWITCH ASUS GigaX1005 5 Port Unmanaged 10/100 Mbps Switch, IEEE 802.3 (10Base-T) and IEEE 802.3u (100Base-TX), Capacity 1.0 Gbps, Auto MDI/MDIX, Auto negotiation of speed, duplex mode and flow control, 1K MAC address table, Operating Humidity 10% - 90% non-condensing, 2.4cm (H) 9.2cm (W) 6.7cm (D), 200g	51.82	50.27
Proview MA-782K-8ms 17" TFT - 1280x1024 - 8ms Contrast 500:1 0.264mm 260cd/m2 TCO03, Built in Spks 2.5Wx2, Built-in Power supplyr - Aluminium	608.38	577.96	SWITCH ASUS GigaX1008 8 Port Unmanaged 10/100 Mbps Switch, IEEE 802.3 (10Base-T) and IEEE 802.3u (100Base-TX), Capacity 1.6 Gbps, Auto MDI/MDIX, Auto negotiation of speed, duplex mode and flow control, 1K MAC address table, Operating Humidity 10% - 90% non-condensing, 2.4cm (H) 13.6cm (W) 7.4cm (D), 280g	63.34	61.44
Proview MA-982K-8ms 19" TFT - 1280x1024 - 8ms Contrast 500:1 0.294mm 280cd/m2 TCO03, Built in Spks 2.5Wx2 Stereo, Built-in Power supplyr - Aluminium	691.54	656.96	ROUTER EDIMAX Broadband Router w/4P 10/100Mbps swich 1xWAN port 10/100Mbps, plastic case, SUA, NAT, hardware FireWall	97.89	94.95
Proview FV-926W 19" TFT - Wide Screen 1440x900 - 5ms Contrast 850:1 0.285mm 300cd/m2 TCO99, Built-in Power supply	691.54	656.96	CABLU UTP CAT.5e 305m/cutie	0.77	0.74
BOXE (1 AN Garantie!!!)	RON	PROMO!!!	IMPRIMANTA (1 AN Garantie!!!)	RON	PROMO!!!
Boxe 1W RMS GENIUS, Volum, SP-P100 BLACK	15.34	14.88	LEXMARK CJ Z515 - A4, dualhead, 4800x1200 dpi, 12 ppm, 7 ppm col., 14ppm black, 8ppm color, negru 10N0217, color 10N0227(se livreaza), USB	121.49	118.43
Boxe 2W RMS GENIUS, Volum, SP-E120 BLACK	28.97	28.10	LEXMARK CJ Z645 -A4, 4800x1200 dpi, 17 ppm black, 9 ppm color, se livreaza cu cartusul negru 10N0217 si color 10N0227, USB	139.49	135.97
Boxe 6W RMS GENIUS, Volum, SP-E200 for MP3Player	44.31	42.98	LEXMARK CJ Z735 - A4, 4800x1200 dpi col,15 ppm color,1200x1200 dpi black,15 ppm black, printare fara margini,cartusul color Nr. 1 (18C0781), single head, USB	138.59	135.09
Boxe 6W RMS GENIUS, Volum, SP-F200 for Silver	46.02	44.64	LEXMARK CJ Z815 - A4, 4800 x 1200dpi, 20ppm black, 14ppm color, cartus negru 18C0032, color 18C0033,bordless USB	161.98	157.90
Boxe 5000 W P.M.P.O. GENIUS SW-HF 5.1, 150 W RMS, SUBWOOFER&5 SATELITI Power	397.99	386.05	LEXMARK X1190 - A4 MFC 14/8ppm, 4800x1200 dpi; C: 13/5cpm, zoom 25-400%; S: 600x1200 dpi, 48 biti; negru 10N00217 si color 10N0227, USB	211.93	206.59
Boxe 200W-RMS GENIUS Home Theater Center(20W-RMS)+Subwoofer(100W-RMS)+4 satellites(20W-RMS) Master vol, Center vol, Surround Vol, Digital Sound, Remote control, Frecventa de raspuns 30HZ-20KHZ, S-200	719.70	698.11	LEXMARK X1270 -Imprimanta: injekt dualhead A4, 17/9ppm, 4800x1200 dpi; Copiator: 15/6cpm, zoom 25-400%; trebuie conectat la calculator Scanner: 600x1200 dpi, 48 biti; Se livreaza cu cartusul negru 10N00217 si color 10N0227, USB	224.98	219.31
Boxe LOGITECH SPK_X210 Speakers 2.1 25W RMS	132.53	128.56	LEXMARK X2330 -A4 MFC 13/13ppm,4800x1200 dpi; C: 12/12cpm, zoom 25-400%; independent de calculator Scanner: 600x1200 dpi, 48 biti;color Nr.1, USB	197.98	192.99
Boxe LOGITECH SPK_X230 Speakers 2.1 32W RMS	169.64	164.55	LEXMARK F4270 A4 MFC, 19/10ppm,4800x1200dpi; Copiator: 18/7cpm,zoom25-400%,independent de PC;Scanner:600x1200dpi;48biti;Fax:cu receptor, 33.6Kbps, ADF 30 pag; Se livreaza cu cartusul negru 15M2971E si cartusul color15M2619E, USB	440.96	429.84
Boxe LOGITECH SPK_Z3e Speakers 2.1 40W RMS	264.62	256.68	CANON i-SENSYS MF4120 Laser Print/Copy/Duplex/Colour Scanner, 20 ppm, network printing optional	866.61	844.77
Boxe LOGITECH SPK_Z4e_Black Speakers 2.1 40W RMS - black version	336.19	326.10	CANON i-SENSYS MF4150 Laser Print/Copy/Fax/Duplex/ADF/Colour Scanner, 20 ppm, network printing optional	1,190.50	1,160.49
Boxe LOGITECH SPK_Z2300 Speakers 2.1 200W RMS	587.12	569.50	CANON LBP2900 A4, 2400 x 600 dpi, 12 ppm, 150 sheet cassette, No warm-up time, 2Mb, optional network with AXIS 1650, print volume: 10.000, USB	312.94	305.05
Boxe LOGITECH SPK_X530 Home Theater 5.1 70W RMS	276.55	268.25	CANON LBP3200 A4, 2400 x 600 dpi, 18 ppm, First print time: less than 10 seconds, 250-sheet cassette, print volume: 10.000	472.70	460.78
Boxe LOGITECH SPK_Z5400 Digital Home Theater 5.1 310W RMS	879.13	852.76	CANON PIXMA iP1300 A4 photo printer, 10x15 in 70 secs, 2pl, 4800x1200dpi, ChromaLife 100 system	129.99	126.72
Boxe LOGITECH SPK_Z5500 Digital Home Theater 5.1 505W RMS	1,325.93	1,286.15	CANON PIXMA iP3300 A4 Photo printer, individual ink tanks -4 colour, 2pl, 4800x1200dpi resolution, 10x15 in 47 secs, PictBridge & 2 way paper feeding, ChromaLife 100 system	274.87	267.94
Boxe Shock Wave SS-4101	187.94	182.30	CANON PIXMA iP4300 A4 photo printer, 10x15 in 36 secs, 1pl, 9600dpi,ContrastPLUS, DVD/CD printing,duplex, dual paper trays, PictBridge, 5 colour single ink system	352.34	343.45
Boxe Shock Wave SW-5101	291.12	282.39	CANON PIXMA MP160 3-in-1 photo printer, 2pl, 4800dpi, PictBridge,10x15 in 52 sec, 600 dpi CIS scanner	249.48	243.19
Boxe Shock Wave CB-46	147.40	142.98		822.85	802.10
Boxe SWEEX 5.1 HOME THEATHER	165.83	160.85			
Casti E5 MICROFON 5003/4 MODERN STEREO (2 Ani GARANTIE!!!)	26.35	25.56			
Casti E5 MICROFON 5002 NECKBOUND STANDARD (2 Ani GARANTIE!!!)	16.37	15.88			
Casti E5 MICROFON 5001 STANDARD STEREO (2 Ani GARANTIE!!!)	7.98	7.74			
TASTATURI (1 AN Garantie!!!)	RON	PROMO!!!			
Tastatura KME KB-2101PUSA,PS/2, white/black	16.12	15.64			
Tastatura Chicony 104 Keys PS/2 (9810) White/Black/Sv-Bk	19.81	19.21			
Tastatura Multimedia KME KM-3801PUSA, Black/W/hite	26.87	26.06			
Tastatura KME KX-1201/7101/7201/7301UUSA multimedia office keyboard PS/2-combo (diverse modele!!!)	44.22	42.89			
BENQ A800-M800 Kit Mouse Optic+ Tastatura X-touch 800 internet Keyboard Companion Pro US Layout Stilish Design (black)	79.25	76.88			
MOUSE (1 AN Garantie!!!)	RON	PROMO!!!			

Lista de preturi valabila astazi: 17. Apr. 2007

PROMOTIA SAPTAMANII – 5% reducere la Monitoarele LCD

NOTA: Preturile sunt in Lei RON si contin TVA. Profitati de reducerile din oferta;

WWW.GRANDIUM.RO